




SANYE®

sewing the Perfect Life

经销商 / Agent:

台州市三野缝纫机有限公司
TAIZHOU SANYE SEWING MACHINE CO.,LTD.
地址:浙江省台州市椒江区三甲石柱南街工业区18号
Add: No.18, Shizhu South Street Industrial Zone,
Sanjia, Jiaojiang, Taizhou, Zhejiang, China
电话(Tel):+86-576-88127666
传真(Fax):+86-576-8812996688122797
手机(Mob):(+86)18267666666



DIRECTORY

DIRECTORY 目录

- LOCKSTITCH /平缝机系列 *P*₁₋₇
- OVERLOCK /包缝机系列 *P*₈₋₁₀
- INTERLOCK /绷缝机系列 *P*₁₁₋₁₄
- SPECIAL /特种机系列 *P*₁₅₋₂₈




SY-826

双步进电脑平缝机(一拖三)
Single step motor drive intelligent lockstitch sewing machine




SY-825

单步进电脑平缝机
Single step motor drive intelligent lockstitch sewing machine




SY-822

直驱高速电脑平缝机 (单剪线)
Direct drive computerized high speed lockstitch sewing machine with auto trimmer




SY-823/824

机电一体化高速单针平缝机
Mechatronics high speed single needle lockstitch sewing machine



SY-821

直驱高速电脑平缝机 (单直驱)
Direct drive computerized high speed lockstitch sewing machine




											
SY-825	5000	DBX1 9#-18#	0-5	*	*	*	*	-	5.5-15	680x245x523	40/48
SY-823/824	5000	DBX1 9#-18#	0-5	*	*	*	*	-	5.5-15	680x245x523	40/48
SY-822	5000	DBX1 9#-18#	0-5	-	*	*	*	-	5.5-15	680x245x523	40/48
SY-821	5000	DBX1 9#-18#	0-5	-	-	*	*	-	5.5-15	680x245x523	40/48




SY-1990

单步进电脑平缝机
Single step motor drive intelligent
lockstitch sewing machine




SY-S610

单步进电脑平缝机
Single step motor drive intelligent
lockstitch sewing machine




SY-9800D

机电一体化高速电脑平缝机
Mechatronics high speed computerized
lockstitch sewing machine




SY-8700D

直驱高速电脑平缝机
Direct drive computerized high speed
lockstitch sewing machine




SY-S1

直驱高速电脑平缝机（单直驱）
Direct drive computerized high speed lockstitch
sewing machine




SY-S2

直驱高速电脑平缝机（单剪线）
Direct drive computerized high speed lockstitch
sewing machine with auto trimmer




SY-7903D

机电一体化高速针送布平缝机
Mechatronics high-speed needle feed
lockstitch sewing machine



SY-5200DQ

机电一体化高速卷边带刀平缝机
Mechanotronics high speed lockstitch
sewing machine with cutter (edging device)



SY-S1	5000	DBX1 9#-18#	0-5	-	-	*	*	-	5.5-15	625x250x560	34/41	
SY-S1-H	5000	DBX1 14#-22#	0-7	-	-	-	*	*	5.5-15	625x250x560	34/41	
SY-S2	5000	DBX1 9#-18#	0-5	-	*	*	*	-	5.5-15	625x250x560	34/41	
SY-S2-H	5000	DBX1 14#-22#	0-7	-	*	-	*	*	5.5-15	625x250x560	34/41	
SY-Y1	5000	DBX1 9#-18#	0-5	-	-	*	*	-	5.5-15	630x245x540	34/41	
SY-Y1-H	5000	DBX1 14#-22#	0-7	-	-	-	*	*	5.5-15	630x245x540	34/41	
SY-Y2	5000	DBX1 9#-18#	0-5	-	*	*	*	-	5.5-15	630x245x540	34/41	
SY-Y2-H	5000	DBX1 14#-22#	0-7	-	*	-	*	*	5.5-15	630x245x540	34/41	

SY-5200D	4500	DB×1 9#-18#	-	★	★	5	5/13	★	29/35	580X250X530	
SY-5200	4500	DB×1 9#-18#	-	★	★	5	4/10	★	29/35	580X250X530	
SY-8700	5000	DB×1 11#-18#	-	★	-	5	•	4/9	29.5/37	600×230×550	
SY-8700H	4000	DB×1 19#-23#	-	-	★	5	•	5.5/13	29.5/37	600×230×550	
SY-8500	4500	DB×1 9-19#	★	★	-	0-5	4.2	•	5/13	29.5/36.6	586×230×540



SY-0303-D3

直驱上下复合送料自动剪线同步机
Direct drive top and bottom feed synchronizing sewing machine with automatic thread trimmer




SY-0303D

直驱上下综合送料平缝机
Direct drive top and bottom feed sewing machine



SY-3830-PL/D

三针直驱链式平缝机(带拖轮)
3-needle direct drive chain stitch lockstitch sewing machine(with puller)



SY-3820D

双针直驱链式平缝机
2-needle direct drive chain stitch lockstitch sewing machine




SY-7770DQ

高速侧切刀平缝机
High speed edge cutter lockstitch sewing machine




SY-8700/8500/5550

高速平缝机系列
High-speed lockstitch sewing machine series




SY-3830-PL

三针高速链式平缝机(带拖轮)
3-needle high-speed chain stitch lockstitch sewing machine(with puller)



SY-3830

三针高速链式平缝机
3-needle high-speed chain stitch lockstitch sewing machine




													
SY-0303	2500	DPX17 14#-25#	—	—	★	8	6-13	—	580×255×535	27/35.5			
SY-0303D	2500	DPX17 14#-25#	—	—	★	8	6-13	—	680×255×535	40/42			
SY-0303-D3	2500	DPX17 14#-25#	—	—	★	8	6-13	—	680×255×535	40/42			
													
SY-0303D-56	DPX17 20#—23#	8-12	8/16	★	★	★	★	★	2000	—	★	960X325X550	75/80

								
SY-3800-3/PL SY-3800D-3/PL	4000	TV×7 9-21#	3	6	1.4-4	8/10	635×245×565	42/50
SY-3800-1 SY-3800D-1	4000	TV×7 9-21#	1	2	1.4-4	8/10	635×245×565	42/50
SY-3800-2 SY-3800D-2	4000	TV×7 9-21#	2	4	1.4-4	8/10	635×245×565	42/50
SY-3800-3 SY-3800D-3	4000	TV×7 9-21#	3	6	1.4-4	8/10	635×245×565	42/50




SY-842/872
高速双针平缝机
High speed double needle
lockstitch sewing machine



SY-842-3 Standard hook, thin/medium material
SY-842-5 Standard hook, thick material
SY-872-3 Big hook, thin/medium material
SY-872-5 Big hook, thick material



SY-845/875
高速角缝双针平缝机
High speed double needle lockstitch sewing
machine with split needle bar



SY-845-3 Standard hook, thin/medium material
SY-845-5 Standard hook, thick material
SY-875-3 Big hook, thin/medium material
SY-875-5 Big hook, thick material




SY-F2
超高速全自动包缝机
Super high-speed automatic overlock
sewing machine




3 Thread Overlock 4 Thread Overlock 5 Thread Overlock




SY-7N-4D
高速直驱包缝机
High speed direct drive overlock
sewing machine




SY-842D/872D
直驱高速双针平缝机
Direct drive double needle lockstitch
sewing machine



SY-842D-3 Standard hook, thin/medium material
SY-842D-5 Standard hook, thick material
SY-872D-3 Big hook, thin/medium material
SY-872D-5 Big hook, thick material




SY-845D/875D
直驱高速角缝双针平缝机
Direct drive high speed double needle lockstitch
sewing machine with split needle bar




SY-845D-3 Standard hook, thin/medium material
SY-845D-5 Standard hook, thick material
SY-875D-3 Big hook, thin/medium material
SY-875D-5 Big hook, thick material



SY-F7
高速直驱包缝机
High speed direct drive overlock
sewing machine



SY-737D/747D/757D
高速包缝机系列
High-speed overlock sewing machine series



										
SY-842/845-3	3000	DPX5 11#-18#	2	★	★	—	5	7-13	670X330X650	40/49
SY-842/845-5	3000	DPX5 14#-22#	2	—	★	★	5	7-13	670X330X650	40/49
SY-872/875	2500	DPX5 11#-22#	2	—	★	★	7	7-13	670X330X650	40/49
SY-842D/845D	3000	DPX5 11#-22#	2	★	★	—	5	7-13	670X330X650	40/49
SY-872D/875D	2500	DPX5 11#-22#	2	—	★	★	7	7-13	670X330X650	40/49

														
SY-GT900-3-UT	DC×27 11#	1	—	3	3-4-5	3.8	5	0.7-2	7500	470X300X480	25.5/33			
SY-GT900-4-UT	DC×27 11#	2	2	4	3-4-5	3.8	5.5	0.7-2	7500	470X300X480	25.5/33			
SY-GT900-5-UT	DC×27 14#	2	2	5	5	3.8	5.5	0.7-2	7500	470X300X480	25.5/33			
SY-737D	DC×27 11#	1	—	3	4	0.5-3.8	5.5	0.7-2	6500	465X345X450	36.5/34			
SY-747D	DC×27 11#	2	2	4	5	0.5-4	6	0.7-2	6500	465X345X450	36.5/34			
SY-757D	DC×27 14#	2	3	5	5	0.5-4.2	6	0.7-2	6500	465X345X450	36.5/34			



SY-EX5214DD-EUT

全自动高速电脑包缝机
Full automatic high-speed computerized
overlock sewing machine




SY-EX5114DD-EUT

全自动高速筒式电脑包缝机
Full automatic high-speed cylinder bed
computerized overlock sewing machine




SY-958-4D/EP

全自动高速电脑包缝机
Full automatic high-speed computerized
overlock sewing machine



SY-958-4D

直驱高速包缝机
Direct drive high speed overlock
sewing machine



SY-EXT5214DD-EUT

全自动上下差动高速包缝机
Full automatic high-speed overlock sewing machine
with variable top feed




SY-EXT5114DD-EUT

全自动上下差动筒式高速包缝机
Full automatic high-speed cylinder bed overlock
sewing machine with variable top feed




SY-700-4/DK

全自动高速电脑包缝机
Full automatic high-speed computerized
overlock sewing machine



SY-6714

高速直驱包缝机
High speed direct-drive overlock
sewing machine



SY-EX5213/DK	DCX27 11#	1	—	3	4	0.5-3.8	5	0.7-2	8500	472X495X360	24.1/32.6
SY-EX5214/DK	DCX27 11#	2	2	4	5	0.5-3.8	5.5	0.7-2	7500	472X495X360	24.1/32.6
SY-EX5215/DK	DCX27 11#	2	5	5	5	0.5-3.8	5.5	0.7-2	7000	472X495X360	24.1/32.6
SY-EXT5214/DK	DCX27 9#	2	3.5	4	3-5	3.2	5.5	1.1-3.8	7000	472X495X360	28.5/37
SY-EXT3216/DK	DCX27 11-24#	2	3.5	5	5-6	5	5.5	0.7-2	6300	472X495X360	28.5/37
SY-EXT5114	DCX27 11-24#	2	2	4	3-4-5	3.8	5.5	0.7-2	7500	470X365X500	30/37


SY-958-3D/EP	DC×27 11#	1	—	3	4	0.5-3.8	5.5	0.7-2	5500	465X345X450	32/33.5
SY-958-4D/EP	DC×27 11#	2	2	4	4	0.5-3.8	5.5	0.7-2	5500	465X345X450	32/33.5
SY-958-5D/EP	DC×27 14#	2	3/5	5	5/8	0.5-3.8	5.5	0.7-2	5500	465X345X450	32/33.5
SY-700-3/DK	DC×27 11#	1	—	3	4	0.5-3.8	5.5	0.7-2	7000	465X345X450	32/33.5
SY-700-4/DK	DC×27 11#	2	2	4	4	0.5-3.8	5.5	0.7-2	6500	465X345X450	32/33.5
SY-700-5/DK	DC×27 14#	2	3/5	5	5/8	0.5-3.8	5.5	0.7-2	6500	465X345X450	32/33.5



SY-500E-01CB

直驱高速绷缝机


Direct drive high speed flat bed interlock sewing machine



SY-500-01DA/UT

直驱自动剪线高速绷缝机


Direct drive flat-bed high-speed interlock sewing machine with auto trimmer



SY-600-01DA/UT

直驱小方头式自动剪线高速绷缝机


Direct drive cylinder-bed high-speed interlock sewing machine with auto trimmer



SY-600-02BB

上滚条用高速小方头绷缝机


High speed cylinder-bed interlock with tape binding(edge rolling)



SY-500-02BB

上滚条用高速绷缝机


High speed flat-bed interlock with tape binding(edge rolling)



SY-500-05CB

上花边松紧用绷缝机(带刀)


High speed flat-bed interlock for elastic laces (with cutter)



SY-600-01CB/RP

高速小方头绷缝机(带后拖轮)

High speed cylinder-bed interlock sewing machine with back puller



SY-600-01CB/RTF

橡筋用高速小方头绷缝机

High speed cylinder-bed interlock for elastic waistband attaching



SY-500-01DA/PUT	气动式自动剪线 Direct-drive flat bed pneumatic auto trimmer	UY128GAS 11#	3 2	5 4	4.8, 5.6, 6.4 2.4, 3.2, 4.0, 4.8, 5.6	4.4	0.5-1.3	5 6.3	6000	670X465X660	55/58	
SY-500-01DA/EUT	电磁式自动剪线 Direct-drive flat bed electric auto trimmer											
SY-500-01CB	一般车缝 General plain sewing	UY128GAS 9-11#	3 2	5 4	4.8, 5.6, 6.4 3.2, 4.0	4.4	0.5-1.3	5 6.3	6000	600X390X630	49/52	
SY-500-02BB	上带滚边车缝 Tape binding	UY128GAS 9-11#	3 2	5 4	4.8, 5.6, 6.4 2.4, 3.2, 4.0, 4.8, 5.6	4.4	0.5-1.3	5 6.3	6000	600X390X630	49/52	
SY-500-05CB/FT	上松紧带或蕾丝车缝 Elastic lace attaching	UY128GAS 9-11#	3 2	5 4	4.8, 5.6, 6.4 3.2, 4.0	4.4	0.5-1.3	5 6.3	6000	600X390X630	59/62	

SY-600-35BB	小方头左切刀 Cylinder bed left side currier	UY128GAS 9-11#	3 2	5 4	4.8, 5.6, 6.4 3.2, 4.0	4.4	0.5-1.3	5 6.3	6000	670X465X660	55/58	
SY-600-01DA/PUT	直驱小方头气动自动剪线 Direct-drive cylinder-bed pneumatic auto-trimmer	UY128GAS 9-11#	3 2	5 4	4.8, 5.6, 6.4 2.4, 3.2, 4.0, 4.8, 5.6	4.4	0.5-1.3	5 6.3	6000	670X465X660	55/58	
SY-600-01DA/EUT	直驱小方头电动自动剪线 Direct-drive cylinder bed electric auto trimmer											
SY-600-01CB	一般车缝 General plain sewing	UY128GAS 9-11#	3 2	5 4	4.8, 5.6, 6.4 3.2, 4.0	4.4	0.5-1.3	5 6.3	6000	670X465X660	55/58	
SY-600-02BB	上带滚边车缝 Tape binding	UY128GAS 9-11#	3 2	5 4	4.8, 5.6, 6.4 2.4, 3.2, 4.0, 4.8, 5.6	4.4	0.5-1.3	5 6.3	6000	670X465X660	49/52	



SY-600-35BB/EUT

高速小方头绷缝机左切刀
High speed cylinder-bed interlock
with left cutter




SY-600-33AC/EUT

高速小方头绷缝机右切刀
High speed cylinder-bed interlock
with right cutter



SY-720-EUT

自动剪线超小嘴绷缝机
Automatic ultra-cylinder bed interlock
sewing machine





SY-720-FL-EUT

自动剪线超小嘴绷缝机(左切刀)
Automatic ultra-cylinder bed interlock
sewing machine(left cutter)




SY-1500-156D

直驱直筒式自动剪线绷缝机
Direct drive feed-up-the-arm automatic thread cutting
interlock sewing machine



SY-6200-01MS-D

直驱曲臂式四针六线拼缝机
Direct drive 4 needle 6 thread feed-off-the-arm
flat seaming machine



SY-787-EUT

自动剪线高速小嘴绷缝机
Automatic high speed cylinder bed interlock
sewing machine



SY-787-FR-EUT

自动剪线高速小嘴绷缝机(右切刀)
Automatic high speed cylinder bed interlock
sewing machine(right cutter)




          											
直驱左切刀气动自动剪线 Direct-drive left-side cutter pneumatic auto-trimmer											
SY-600D-35BB/PUT	UY128GAS	3	5	4.8, 5.6, 6.4	4.4	0.5-1.3	5	6000	670X465X660	55/58	
SY-600-35BB	9-11#	2	4	3.2, 4.0			6.3				
直驱右切刀气动自动剪线 Direct-drive right-side cutter pneumatic auto-trimmer											
SY-600D-33AC/FT/PT/PUT	UY128GAS	3	5	5.6	4.4	0.5-1.3	5.1	6000	670X465X660	55/58	
SY-600-33AC/FT/PT	9-11#										
小方头右切刀 Cylinder bed right side cutter											
SY-600-33AC/FT/PT											
          											
SY-6200-01MS-D	4000	4	6	FLx118GCS 9#-11#	R=5.2 S=6.0	1.6-2.5	★	★	8.0	30	

          											
SY-720T-CB240											
SY-720T-CB248	2	3		4.0							
SY-720T-CB348	2	3		4.8							
SY-720T-CB356	3	5		4.8							
SY-720T-CB364	3	5	1.4	5.6							
SY-720T-CB456	3	5	~	6.4	7.0	0.8-1.4	4500				
SY-720T-CB460	4	6	4.5	5.6							
SY-720T-CB464	4	6		6.0							
SY-720T-CB464	4	6		6.4							
EST EWT AST AWT											



SY-2280/2284

曲折缝纫机
Zigzag sewing machine




SY-2280 1 step 2 point
SY-2284 1 step 2 point, 3 step 4 point



SY-1530D

曲折缝纫机
Zigzag sewing machine



SY-927D

直驱双针埋夹机
Direct drive double needle feed-off-the-arm chain stitch machine




SY-927-PL

双针埋夹机（内置拖轮）
Double needle feed-off-the-arm chain stitch machine (inner built puller)




SY-20U53DZ

曲折缝纫机
Zigzag sewing machine



SY-20U33/43/53/63

曲折缝纫机
Zigzag sewing machine



SY-928-PL/2PL

三针埋夹机（单、双拖轮）
3 needle feed-off-the-arm chain stitch machine (single/double puller)



SY-928-PF/CV

双针/三针自动气控外置拖轮埋夹机
Double/three-needle automatic pneumatically controlled outer built puller feed-off-the-arm chain stitch machine




				L	M	H						
SY-20U43	2000	DPX5 10#-14#	—	★	—	5	0-12	35	★	5/12	555X240X380	22.5/25
SY-20U93	2000	DPX5 10#-14#	★	★	—	5	9		★	6/10	555X240X380	22.5/25
SY-2280/2284	5000	DPX5 10#-14#	—	★	—	5	0-8	35	★	5/10	660X350X620	39/45

SY-927D	4000	2	TVX64 11#-14#	4	★	★	—	1.2-4.2	1/8 3/16 1/4 3.18 4.76 6.35	11	600x570x470	60/65
SY-927-PL	4000	2	TVX64 11#-14#	4	—	★	★	1.2-4.2	1/8 3/16 1/4 3.18 4.76 6.35	11	600x570x470	60/65
SY-928-2PL	4000	3	TVX5 18#-21#	6	—	★	★	1.2-5.2	1/4 9/32 5/16 3/8 6.4 7.14 7.94 9.52	11	605x550x500	60/65
SY-928-PL	4000	3	TVX5 16#-21#	6	—	★	★	1.2-5.2	1/4 9/16 5/16 3/18 6.4 7.14 7.94 9.52	11	605x550x500	60/65




SY-1404P

四针松紧裤头多针机
4 needle flat bed chainstitch sewing machine
for waistband




SY-1433PSSM

33针链式缝纫机
33-needle chainstitch sewing machine




SY-2000C

双针平台型弯针横向双重环缝带刀裤耳机
Double needle flat-bed belt loop with front fabric
cutter



SY-1302-4W

双针四回缝外曲牙机
Double needle chain stitch picotting machine



SY-4404PMD

半筒式四针弯针纵向双重环缝缝纫机
Cylinder-bed 4 needle double chain stitch
sewing machine



SY-1508P

平台型弯针横向双重环缝链式裤腰缝纫机
Flat-bed double chain stitch machine with horizontal
looper movement mechanism



SY-1302-4W	UOX163 11#	2	3	2X5.55mm	0.8-1.5	8	3500	0.148m ³	41/45
SY-1412PL	UOX113 14#	12	24	1/4", 3/16"	7-17	10	4000	0.148m ³	53/57
SY-1412PS-ET	DVX57 14#	12	24	1/4", 3/16"	7-17	10	4000	0.148m ³	53/57
SY-1412PQ	UOX113 14#	12	36	1/4", 3/16"	7-17	10	2500	0.2m ³	60/64
SY-1412PTV	DVX57 12#	12	24	1/4", 3/16"	7-17	10	3500	0.2m ³	60/64
SY-1404PMD	UOX113 14#	4	8	3/4", 1-1/8", 1-1/4", 1-1/2", 1/4"-1/2"-1/4"	8-14	10	4500	0.148m ³	45/48
SY-1404PSF	UOX113 14#	4	8	3/16"-3/4"-3/16", 1/4"-3/4"-1/4", 3/16"-1/2"-3/16", 1/4"-4"-1/4"	7-17	10	4500	0.148m ³	45/48
SY-1403PSM	DVX57 18#	3	9	1/8"	7-17	6	2000	0.2m ³	53/57
SY-1425PS-ET	DVX57 14#	25	75	1/4"	7-17	6	2000	0.22m ³	103/107
SY-1433PS-ET	DVX57 14#	33	99	3/16"	7-17	6	2000	0.22m ³	103/107
SY-1425PTV	DVX57 14#	25	50	1/4", 3/16"	7-17	10	3500	0.22m ³	60/64
SY-1433PTV	DVX57 14#	33	66	1/4", 3/16"	7-17	10	3500	0.22m ³	60/64
SY-1425PQ	UOX113 14#	25	50	1/4", 3/16"	7-17	10	2500	0.2m ³	60/64
SY-1433PQ	UOX113 14#	33	66	1/4", 3/16"	7-17	10	2500	0.2m ³	60/64
SY-1425PSSM	DVX57 14#	25	75	1/4"	7-17	6	2000	0.22m ³	103/107
SY-1433PSSM	DVX57 14#	33	99	1/4"	7-17	6	2000	0.22m ³	103/107
SY-1508P	TVX5 21#	4	8	1/4"-1-1/4", 1/4"-3/4"-1/4"	7-16	10	4500	0.148m ³	44/48
SY-1508PR	TVX5 21#	4	8	3/16"-1-3/16"	7-16	10	4500	0.148m ³	44/48
SY-1508PRD	TVX5 21#	4	8	1/4"-1-1/4"	7-16	10	4500	0.148m ³	44/48
SY-1503PTF	TVX5 21#	3	6	1/4"-1-1/4"	7-16	10	4500	0.148m ³	44/48
SY-1701EHD	UYX128GAS 14-18#	1	2	1/4"	9-12	8	4500	0.148m ³	42/46
SY-1702	UYX128GAS 11#	2	3	1/4"	9-12	8	4500	0.148m ³	42/46
SY-1702PMD	UYX128GAS 11#	2	3	1/4"	9-12	8	4500	0.148m ³	42/46
SY-2000C	UYX128GAS 14-18#	2	3	1/4"	9-12	8	4500	0.148m ³	42/46
SY-2000-CP	UYX128GAS 14-18#	2	3	1/4"	9-12	8	4500	0.148m ³	42/46
SY-4412P	DVX57 14#	12	24	1/4", 1/8", 3/16"	1.4-3.6	8	4000	0.2m ³	47/51



SY-008 series

筒式多针机系列

Multi-needle cylinder bed machine series

完全自动供油，勾针纵向运动机构，筒型机身设计，方便环型衣物缝纫。
此机型可依要求缝制款式，间隔尺寸做多样针位变化车缝。适用于高级衣物之装饰车缝。


Automatic lubrication system, back and forth looper driving mechanism, cylinder bed machine frame design, easy sewing operation for circular cloth.
For general sewing, stitch length can be changed according to desired sewing pattern. Suitable for decorative sewing on high quality dress or tubular goods.

可选择之辅助件:

VCE: 橡筋导片装置
RL: 撑开轮组
VWL: 松紧带前送装置
FH: 固定式下送带盘装置
VAD: 气动式抬压脚装置

Optional attachment:

VCE: Rubber slice-leading device
RL: Support wheel group
VWL: Front elastic tape feeding holder
FH: Below-table tape feeding holder
VAD: Pneumatic lift-press feet device




																
SY-008-12064P/VPQ	12	12	1/4"	1.4-3.6	12	11-14#	1500	SY-008-04085P	4	8	1/3"	1.4-3.6	12	11-14#	4500	
SY-008-16048P/VPQ	16	16	3/16"	1.4-3.6	12	11-14#	1500	SY-008-06064P	6	12	1/4"	1.4-3.6	12	11-14#	4500	
SY-008-25048P/VPQ	25	25	3/16"	1.4-6	12	11-14#	1500	SY-008-08048P	8	16	3/16"	1.4-3.6	12	11-14#	4500	
SY-008-33048P/VPQ	33	33	3/16"	1.4-6	12	11-14#	1500	SY-008-12064P	12	24	1/4"	1.4-3.6	12	11-14#	4500	
SY-008-12064P/PQ	12	36	1/4"	1.4-3.6	12	11-14#	1500	SY-008-13032P	13	24	1/8"	1.4-3.6	12	11-14#	4500	
SY-008-16048P/PQ	16	48	3/16"	1.4-3.6	12	11-14#	1500	SY-008-16048P	16	32	3/16"	1.4-3.6	12	11-14#	4500	
SY-008-25048P/PQ	25	75	3/16"	1.4-6	12	11-14#	1500	SY-008-17032P	17	24	1/8"	1.4-3.6	12	11-14#	4500	
SY-008-33048P/PQ	33	99	3/16"	1.4-6	12	11-14#	1500	SY-008-23032P	23	24	1/8"	1.4-3.6	12	11-14#	4500	
SY-008-12048P/VSQ	12	24	3/16"	1.4-3.6	12	11-14#	1500	SY-008-25064P	25	50	1/4"	1.4-6	12	11-14#	4500	
SY-008-16048P/VSQ	16	32	3/16"	1.4-3.6	12	11-14#	1500	SY-008-33048P	33	66	3/16"	1.4-6	12	11-14#	4500	
SY-008-25048P/VSQ	25	50	3/16"	1.4-6	12	11-14#	1500	SY-008-08064P/VWL	8	16	1/4"	1.4-3.6	12	11-14#	3000	
SY-008-33048P/VSQ	33	66	3/16"	1.4-6	12	11-14#	1500	SY-008-0448-254P/VSF	4	8	3/16"-1"-3/16"	1.4-3.6	12	11-14#	3000	
SY-008-12048P/VPQ/VSM	12	24	3/16"	1.4-3.6	12	11-14#	1500	SY-008-08064P/VPL	8	16	1/4"	1.4-3.6	12	11-14#	3000	
SY-008-16048P/VPQ/VSM	16	32	3/16"	1.4-3.6	12	11-14#	1500	SY-008-06064P/VPL	12	24	1/4"	1.4-3.6	12	11-14#	3000	
SY-008-25064P/VPQ/VSM	25	50	1/4"	1.4-6	12	11-14#	1500	SY-008-25048P/VPT	25	50	3/16"	1.4-6	12	11-14#	3000	
SY-008-33048P/VPQ/VSM	33	66	3/16"	1.4-6	12	11-14#	1500	SY-008-25064P/VPT	25	50	1/4"	1.4-6	12	11-14#	3000	
SY-008-50048P/VPQ/VSM	50	100	3/16"	1.4-6	12	11-14#	1200	SY-008-33048P/VPT	33	66	3/16"	1.4-6	12	11-14#	3000	
SY-008-12064P/VSM	12	36	1/4"	1.4-3.6	12	11-14#	1500	SY-008-12048P/VSQ/VSM	12	36	3/16"	1.4-3.6	12	11-14#	1500	
SY-008-16048P/VSM	16	48	3/16"	1.4-3.6	12	11-14#	1500	SY-008-16048P/VSQ/VSM	16	48	3/16"	1.4-3.6	12	11-14#	1500	
SY-008-25048P/VSM	25	75	3/16"	1.4-6	12	11-14#	1500	SY-008-25064P/VSQ/VSM	25	75	1/4"	1.4-6	12	11-14#	1500	
SY-008-33048P/VSM	33	99	3/16"	1.4-6	12	11-14#	1500	SY-008-33048P/VSQ/VSM	33	99	3/16"	1.4-6	12	11-14#	1500	
SY-008-12048P/VSQ/VSM-DL	12	36	3/16"	1.4-3.6	12	11-14#	4500									



SY-373/1377

高速钉扣机


High speed button attaching sewing machine



SY-4-2D

高速钉扣机


High speed button attaching sewing machine



SY-373D/1377D

直驱高速钉扣机


Direct drive high speed button attaching sewing machine



SY-808

大白扣机

Snap button machine




								
SY-373/373D	1500	TQ×1 14#-18#	10-28	2.5-5.6	> 9	★	505×330×415	27/29
SY-1377/1377D	1500	TQ×1 14#-18#	10-28	2.5-5.6	> 9	★	580×480×440	27/29




SY-9820

高速电脑圆头锁眼机
High speed computerized eyelet button
holing sewing machine




SY-1790S/K

高速电子平头锁眼机
High speed computerized straight button
holing sewing machine




SY-781D/782D/783D

直驱高速平头锁眼机
Direct drive high speed straight button
holing sewing machine



SY-781T/782T/783T

一体直驱高速平头锁眼机
Direct drive high speed straight button
holing sewing machine



SY-1900A-SS

直驱电子高速套结机
Direct drive high speed electronic bar
tacking sewing machine




SY-430D

直驱电子高速套结机
Direct drive high speed electronic bar
tacking sewing machine




SY-1903A

高速电子钉扣机
Direct drive high speed electronic button
attaching sewing machine



SY-438D

高速电子钉扣机
Direct drive high speed electronic button
attaching sewing machine



SY-1790S	3600	DPX5 11#-14#	—	★	★	6.4-31.7	2.5-5	1/4"-1"-1/4"	17	78X39X76.5	112/120
SY-9820	2500	DoX558Nm100 11#-14#	★	★	★	5-50	12-16	22	12-16	106X75X115	120/170
SY-1900ASS	3000	DP×5 14#	0.1-10			40×30	14-17	★	★	795×400×750	64/67
SY-430D	3200	DP×17 18#	0.05-12.7			40×30	17	★	★	715×450×550	64/67

SY-781	3600	DP×5 11#-14#	★	★	—	6.4-19.1mm	2.5-4	1/4"-3/4"	12	745X340X930	58/69
SY-781D	3600	DP×5 11#-14#	★	★	—	6.4-19.1mm	2.5-4	1/4"-3/4"	12	745X340X930	58/69
SY-1903A	2700	DB×17 14#	8-32	0.1-10	< 13	★	790×360×550	45/64.5			




SY-500
暗缝机
Blind stitch sewing machine



SY-600
暗缝机
Blind stitch sewing machine



SY-2502
2线地毯包边机
Carpet over edging sewing machine



SY-2200
地毯须边机
Carpet fringing & over edging machine



SY-101
暗缝机
Blind stitch sewing machine



SY-1430
潜水衣暗缝机
Diver-suits blindstitch machine



SY-318
大贝形饰边包缝机
Large shell stitch machine



SY-1-2
毛毯锁边机
Blanket overlock sewing machine

								
SY-500	1500	LWX6T 9#-14#	1	3-7	7	*	395×355×330	11/14
SY-600	2200	LWX6T 9#-14#	1	3-7	7	*	480×385×440	23/28

TAPE CUTTING & THREAD EXTENSION

FUSING MACHINE



SY-801A/802A
单/双刀切布条机
Single/double knife cloth tape cutting machine



SY-911/933
切布条机
Cloth tape cutting machine



SY-450MS
粘压机
Fusing machine



SY-600CX
粘压机
Fusing machine



SY-40C
分线器
Thread extension



SY-20S
分线器
Thread extension



SY-630A-100
抗干扰检针器
Anti-jamming needle detector



SY-900LFS
气动直线熔断机
Pneumatic straight linear fusing machine
with 1m long heating area

				闭合高度 SWITCH HEIGHT	工作台高度 TABLE HEIGHT		
SY-801A	3000	18	38	16-50	70×70	830×355×250	20/22
SY-802A	3000	18	38	16-50	70×70	830×355×240	23/25
型 号 Model	切割宽度 (mm) Cutting Width	切割速度 (p/min) Cutting speed	电压 (V) Voltage	功率 (W) Power			
SY-911	20mm-80mm	0-35m/min	220V	40W	1650X400X400		

型号 Model	工作电压 (V) Voltage	电机功率 (W) Motor power	加热器效率 (KW) Heater power	粘合压力 (kg/cm²) Adhering Pressure	氟带速度(m/min) Teflon Belt speed	工件温度(°C) Temperature
SY-450MS	220-380	400	5.5	0-3	0-8.9	0-220


SY-3/103/108A

直刀裁剪机
Straight knife cutting machine



SY-D108/D108L

自动断布机
Cloth end cutter (without table)



SY-900B

钢带机
Band knife cutting machine



型号 Model	SY-700A/B	SY-900A/B	SY-1200A/B
刀距 Knife span	700mm	900mm	1200mm
切割高度 Cutting height	180mm	180mm	200mm
工作台尺寸 Table size	1200*1400mm	1500*1800mm	1500*2400mm
切割电机功率 Cutting motor power	750W		
电源 Power supply	220V/1PH, 380V/3PH		

圆刀裁剪机系列

Round knife cloth cutting machine



SY-50



SY-65



SY-70



SY-90



SY-100/110



SY-125

型号 Model	功率(W) Power	转速(r.p.m) Speed	频率(Hz) Frequency	电压(V) Voltage	裁剪高度(mm) Cutting Height	包装尺寸(mm) Packing Size	净重(kg) Net weight
SY-3	750	2850/3400	50/60	110/220	110/160/210/260	660x360x260	15
SY-103	750	2850/3400	50/60	110/220	110/160/210/260	760x405x320	15
SY-108A	370	2850/3400	50/60	110/220	85/110	530x320x235	9

型号 Model	功率(W) Power	刀片尺寸(mm) Blade dimensions	频率(Hz) Frequency	电压(V) Voltage	裁剪能力(mm) Trimming capacity	包装尺寸(mm) Packing Size	净重(kg) Net weight
SY-125	350	Φ 125(5")	50/60	110/220/240	40	650x380x390	16
SY-110	250	Φ 110(4.33")八角	50/60	110/220/240	32	570x370x467	17
SY-100	250	Φ 100(4")八角	50/60	110/220/240	27	570x370x467	17
SY-90	200	Φ 90	50/60	110/220/240	25	725x320x330	11
SY-70	170	Φ 70	50/60	110/220/240	25	350x320x530	14
SY-65	150	Φ 65	50/60	110/220/240	22	620x320x260	18
SY-50	60	Φ 50	50/60	110/220/240	10	320x260x395	10
SY-D108 Machine head	180	Φ 108(4.3")	50/60	110/220/240	5	755x415x245	9
SY-D108L Machine head	180	Φ 108(4.3")	50/60	110/220/240	5	755x415x245	9
SY-D108 Power wire						1115x180x440(10pcs/ctn)	11.5
SY-D108 Guide rail 2.5						2550x105x95(2pcs/ctn)	15